

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C3G -13-**

Revision date: 19.05.2017

Product code: 697

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Jokisch Monos Oxia C3G -13-

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cutting oil

**1.3. Details of the supplier of the safety data sheet**

Company name:	Jokisch GmbH	
Street:	Industriestraße 5	
Place:	DE-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
e-mail:	info@jokisch-fluids.de	
Contact person:	Herr Sengenhoff	
e-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

**1.4. Emergency telephone number:**

Giftnotruf Berlin: +49 (0) 30 / 30686 790

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

Destillate (Fischer-Tropsch), schwere, C18-C50 verzweigt, cyclisch und linear

Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic

**Signal word:** Danger**Pictograms:****Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to hazardous waste.

**Special labelling of certain mixtures**

EUH208 Contains 1-(N,N-bis(2-ethylhexyl)aminomethyl)tolutriazol. May produce an allergic reaction.

**SECTION 3: Composition/information on ingredients**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C3G -13-**

Revision date: 19.05.2017

Product code: 697

Page 2 of 6

**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
848301-69-9	Destillate (Fischer-Tropsch), schwere, C18-C50 verzweigt, cyclisch und linear	50 - < 100 %		
	482-220-0		01-0000020163-82	
	Asp. Tox. 1; H304			
	1-(N,N-bis(2-ethylhexyl)aminomethyl)tolutriazol	0.1 - < 1 %		
	939-700-4			
	Skin Irrit. 2, Skin Sens. 1B, Aquatic Acute 1, Aquatic Chronic 2; H315 H317 H400 H411			
93820-57-6	Benzolsulfonsäuren, di-C10-18-alkyl Derivate, Calcium-Salze	< 0.1 %		
	298-637-4			
	Skin Irrit. 2, Aquatic Chronic 3; H315 H412			
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic	< 0.1 %		
	265-156-6		01-2119480375-34	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>).

Carbon monoxide



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C3G -13-

Revision date: 19.05.2017

Product code: 697

Page 3 of 6

Nitrogen oxides (NO<sub>x</sub>).

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Large quantities remove mechanically

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Avoid oil mist

Use only in well-ventilated areas.

Direct contact with skins avoid.

When using do not eat, drink or smoke.

##### **Advice on protection against fire and explosion**

Prevent access by unauthorised personnel.

##### **Further information on handling**

High slip hazard because of leaking or spilled product.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

##### **Advice on storage compatibility**

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Maximum period of storage (time): 3 Jahr

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

#### **8.2. Exposure controls**

##### **Protective and hygiene measures**

Use personal protection equipment as per Directive 89/686/EEC.

##### **Eye/face protection**

Use glasses or face shield if there is a risk of splashing.

##### **Hand protection**

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, &gt;480 min., thickness

0,9-1 mm; CE-certified acc. EN 374 cat III)



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C3G -13-

Revision date: 19.05.2017

Product code: 697

Page 4 of 6

#### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.  
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

#### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid:	
Colour:		
		<b>Test method</b>
pH-Value:		not applicable
<b>Changes in the physical state</b>		
Initial boiling point and boiling range:		not determined
Flash point:		220 °C DIN ISO 2592
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		0,81 g/cm <sup>3</sup> EN ISO 12185
Viscosity / kinematic: (at 40 °C)		13 mm <sup>2</sup> /s DIN 51562

## SECTION 10: Stability and reactivity

### 10.4. Conditions to avoid

Protect against: heat.

### 10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

### 10.6. Hazardous decomposition products

Hazardous decomposition products: none

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C3G -13-

Revision date: 19.05.2017

Product code: 697

Page 5 of 6

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
848301-69-9	Destillate (Fischer-Tropsch), schwere, C18-C50 verzweigt, cyclisch und linear				
	oral	LD50 >5000 mg/kg	Rat		
	1-(N,N-bis(2-ethylhexyl)aminomethyl)tolutriazol				
	oral	LD50 3313 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic				
	oral	LD50 >5000 mg/kg	Rabbit		
	dermal	LD50 >5000 mg/kg	Rabbit		
	inhalative (4 h) vapour	LC50 >5 mg/l	Rat		

#### Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	1-(N,N-bis(2-ethylhexyl)aminomethyl)tolutriazol					
	Acute fish toxicity	LC50 1,3 mg/l	96 h			
	Acute crustacea toxicity	EC50 2,05 mg/l	48 h			

### 12.4. Mobility in soil

in delivery condition: liquid

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste disposal number of waste from residues/unused products

130899 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); oil wastes not otherwise specified; wastes not otherwise specified; hazardous waste

#### Contaminated packaging

Allocation of the waste code numbers must be realized under considerations of existing sector specifics and processes. The above allocation is a recommendation for the disposal of the product after recommended use.

## SECTION 14: Transport information

### Land transport (ADR/RID)



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Monos Oxia C3G -13-

Revision date: 19.05.2017

Product code: 697

Page 6 of 6

**Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)**

**Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)**

**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

### SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic

2010/75/EU (VOC): 0

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

### SECTION 16: Other information

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Asp. Tox. 1; H304	

**Relevant H and EUH statements (number and full text)**

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH208 Contains 1-(N,N-bis(2-ethylhexyl)aminomethyl)tolutriazol. May produce an allergic reaction.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*