

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 1 of 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Jokisch Monos Oxia C4G -18-

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Cutting oil

**1.3. Details of the supplier of the safety data sheet**

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

**1.4. Emergency telephone number:** Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

**Further Information**

Reserved for industrial and professional use.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**Asp. Tox. 1; H304  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear

**Signal word:** Danger**Pictograms:****Hazard statements**H304 May be fatal if swallowed and enters airways.  
H412 Harmful to aquatic life with long lasting effects.**Precautionary statements**P273 Avoid release to the environment.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container to .

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 2 of 11

**2.3. Other hazards**

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear			25 - < 30 %
	482-220-0		01-0000020163-82	
	Asp. Tox. 1; H304			
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol			0.1 - < 1 %
	246-807-3		01-2119510876-35	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
848301-69-9	482-220-0	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	25 - < 30 %	
	dermal: LD50 = > 5001 mg/kg; oral: LD50 = >5000 mg/kg			
25307-17-9	246-807-3	2,2'-(Octadec-9-enylimino)bisethanol	0.1 - < 1 %	
	oral: LD50 = 1000-1587 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1			

**Further Information**

Full text of H- and EUH-statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First

aider: Pay attention to self-protection!

Symptoms can occur only after several hours.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

IF INHALED: May cause drowsiness or dizziness.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C4G -18-

Revision: 27.11.2025

Product code: 315

Page 3 of 11

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Ingestion causes nausea, weakness and central nervous system effects.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### **Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

###### **Unsuitable extinguishing media**

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO<sub>2</sub>).

Carbon monoxide

Nitrogen oxides (NO<sub>x</sub>).

##### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

##### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### **General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

###### **For non-emergency personnel**

Special danger of slipping by leaking/spilling product.

###### **For emergency responders**

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

##### 6.3. Methods and material for containment and cleaning up

###### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

##### 6.4. Reference to other sections

Disposal: see section 13

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

###### **Advice on safe handling**

Avoid oil mist

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

###### **Further information on handling**

High slip hazard because of leaking or spilled product.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 4 of 11

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 5-40 °C

**Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.  
Maximum period of storage (time): 3

**Further information on storage conditions**

Protect from sunlight. Store in a well-ventilated place.

**7.3. Specific end use(s)**

Observe technical data sheet.  
Reserved for industrial and professional use.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol			
Worker DNEL, long-term		inhalation	systemic	2,96 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,522 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,15 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	
	Micro-organisms in sewage treatment plants (STP)	10 mg/l
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol	
	Freshwater	0,214 mg/l
	Marine water	0,0214 mg/l
	Freshwater sediment	1,692 mg/kg
	Marine sediment	0,1692 mg/kg
	Secondary poisoning	2 mg/kg
	Micro-organisms in sewage treatment plants (STP)	1,5 mg/l
	Soil	5,0 mg/kg

**Additional advice on limit values**

Does not contain substances above concentration limits fixing an occupational exposure limit. To date, no national critical limit values exist.

**8.2. Exposure controls**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C4G -18-

Revision: 27.11.2025

Product code: 315

Page 5 of 11



#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

EN 166

##### Hand protection

Protect skin by using skin protective cream.  
Wash hands before breaks and after work.

##### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.  
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid:
Colour:	light yellow
Odour:	mineral oil.

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	225 °C DIN ISO 2592
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	18 mm <sup>2</sup> /s DIN 51562
Vapour pressure:	not determined
Density (at 15 °C):	0,84 g/cm <sup>3</sup> EN ISO 12185

### 9.2. Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 6 of 11

No known hazardous reactions.

**10.4. Conditions to avoid**

Protect against: heat.

**10.5. Incompatible materials**

The following must be prevented: Oxidizing agents, strong. acid.

**10.6. Hazardous decomposition products**

Hazardous decomposition products: none

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.  
Data apply to the main component.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD Guideline No 420
	dermal	LD50 > 5001 mg/kg	Rabbit		
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol				
	oral	LD50 1000-1587 mg/kg	Rat	ECHA	

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Additional information on tests**

No risks worthy of mention. Practical experience.  
The statement is derived from the properties of the single components.  
The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 7 of 11

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Brachydanio rerio	ECHA	OECD Test Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	D. subspicatus	ECHA	OECD Test Guideline 201
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	D. magna	ECHA	OECD Test Guideline 20
	Fish toxicity	NOEC > 101 mg/l	33 d	P. promelas	ECHA	
	Algae toxicity	NOEC > 101 mg/l	28 d	Algen		
	Crustacea toxicity	NOEC > 101 mg/l	21 d	D. Magna	ECHA	OECD 211
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )		activated sludge		OECD 209

**12.2. Persistence and degradability**

No information available.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear			
		11-67%	28	
	Product is partially biodegradable.			

**12.3. Bioaccumulative potential**

No information available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	> 6,5
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol	3,4

**12.4. Mobility in soil**

in delivery condition: liquid

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C4G -18-

Revision: 27.11.2025

Product code: 315

Page 8 of 11

#### 12.7. Other adverse effects

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Non-contaminated packages may be recycled.

##### List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

##### List of Wastes Code - used product

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	No dangerous good in sense of these transport regulations.

#### Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	No dangerous good in sense of these transport regulations.

#### Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	-

#### Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of these transport regulations.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.
<u>14.4. Packing group:</u>	-

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Personal protection equipment: see section 8

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available.

### SECTION 15: Regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 9 of 11

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

Directive 2010/75/EU on industrial emissions: 0,0%

Directive 2004/42/EC on VOC in paints and varnishes: 0,0%

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,8,9,11,12,13,15,16.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Oxia C4G -18-**

Revision: 27.11.2025

Product code: 315

Page 10 of 11

**Abbreviations and acronyms**

Acute Tox. 4: Acute toxicity, hazard category 4  
 Asp. Tox. 1: Aspiration hazard, hazard category 1  
 Skin Corr. 1B: Skin corrosion, sub-category 1B  
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road )  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H302 Harmful if swallowed.  
 H304 May be fatal if swallowed and enters airways.  
 H314 Causes severe skin burns and eye damage.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Oxia C4G -18-

Revision: 27.11.2025

Product code: 315

Page 11 of 11

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*