



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos N3B

Revision: 01.12.2025

Product code: 700

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Jokisch Monos Atos N3B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cutting oil

### 1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

**1.4. Emergency telephone number:** Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

### Further Information

Reserved for industrial and professional use.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

EUH208	Contains Resin acids and rosin acids. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

### 2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 2 of 13

**Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
10017-56-8	Triethylammonium, salt with phosphoric acid	2.5 - < 5 %
	233-010-0	
	Skin Irrit. 2; Eye Irrit. 2; H315 H319	
111-46-6	2,2' -oxybisethanol, diethylene glycol	1 - < 2.5 %
	203-872-2	
	603-140-00-6	
	01-2119457857-21	
	Acute Tox. 4; H302	
73138-82-6	Resin acids and rosin acids	0.1 - < 1 %
	277-299-1	
	650-015-00-7	
	Skin Sens. 1; H317	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
111-46-6	203-872-2	2,2' -oxybisethanol, diethylene glycol	1 - < 2.5 %
		dermal: LD50 = 11890 mg/kg; oral: LD50 = 12600 mg/kg	

**Further Information**

Full text of H- and EUH-statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!  
Symptoms can occur only after several hours.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Remove contaminated, saturated clothing immediately.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

**Unsuitable extinguishing media**

High power water jet.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos N3B

Revision: 01.12.2025

Product code: 700

Page 3 of 13

#### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated:  
Carbon dioxide (CO<sub>2</sub>).  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>).

#### **5.3. Advice for firefighters**

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

##### **For non-emergency personnel**

Special danger of slipping by leaking/spilling product.

##### **For emergency responders**

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.  
Collect in closed containers for disposal.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Clean contaminated articles and floor according to the environmental legislation.  
Clean with detergents. Avoid solvent cleaners.

#### **6.4. Reference to other sections**

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Avoid oil mist  
Use only in well-ventilated areas.  
When using do not eat, drink or smoke.

##### **Further information on handling**

High slip hazard because of leaking or spilled product.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 5-40 °C

##### **Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.  
Maximum period of storage (time): 3

##### **Further information on storage conditions**

Protect from sunlight. Store in a well-ventilated place.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 4 of 13

**7.3. Specific end use(s)**

Observe technical data sheet.

Reserved for industrial and professional use.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
111-46-6	2,2'-Oxydiethanol	23	100		TWA (8 h)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
111-42-2	Diethanolamine (Inhalable Fraction and Vapour)	0.2	1		TWA (8 h)	
111-46-6	Diethylene glycol	23	100		TWA (8 h)	
141-43-5	Ethanolamine (2-Aminoethanol)	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### Jokisch Monos Atos N3B

Revision: 01.12.2025

Product code: 700

Page 5 of 13

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
57-55-6	1,2-propylene glycol (1,2-propanediol)			
Worker DNEL, long-term		inhalation	systemic	168 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	85 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	213 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	10 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	50 mg/m <sup>3</sup>
102-71-6	Triethanolamin			
Worker DNEL, long-term		inhalation	local	1 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	0,4 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	local	2,66 mg/person/day
Consumer DNEL, long-term		oral	systemic	3,3 mg/kg bw/day
111-46-6	2,2' -oxybisethanol, diethylene glycol			
Worker DNEL, long-term		inhalation	systemic	44 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	60 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	43 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	12 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	21 mg/kg bw/day
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	60,7 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	67,5 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	40,5 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	40,5 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	systemic	67,5 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	101,2 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day
141-43-5	2-aminoethanol; ethanolamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	0,51 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,28 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
111-42-2	2,2'-iminodiethanol; diethanolamine			
Worker DNEL, long-term		inhalation	systemic	0,75 mg/m <sup>3</sup>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 6 of 13

Consumer DNEL, long-term	inhalation	systemic	0,125 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	0,5 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	0,125 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,130 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	0,07 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,06 mg/kg bw/day

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 7 of 13

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
57-55-6	1,2-propylene glycol (1,2-propanediol)	
Freshwater		260 mg/l
Marine water		26 mg/l
Freshwater sediment		572 mg/kg
Marine sediment		57,2 mg/kg
Soil		50 mg/kg
102-71-6	Triethanolamin	
Freshwater		0,32 mg/l
Marine water		0,32 mg/l
Freshwater sediment		1,7 mg/kg
Marine sediment		0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,151 mg/kg
111-46-6	2,2' -oxybisethanol, diethylene glycol	
Freshwater		10 mg/l
Marine water		1 mg/l
Freshwater sediment		20,9 mg/kg
Marine sediment		2,09 mg/kg
Micro-organisms in sewage treatment plants (STP)		199,5 mg/l
Soil		1,53 mg/kg
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	
Freshwater		1,1 mg/l
Marine water		0,11 mg/l
Freshwater sediment		4,4 mg/kg
Marine sediment		0,44 mg/kg
Secondary poisoning		56 mg/kg
Micro-organisms in sewage treatment plants (STP)		200 mg/l
Soil		0,4 mg/kg
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,357 mg/kg
Marine sediment		0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1,29 mg/kg
111-42-2	2,2'-iminodiethanol; diethanolamine	
Freshwater		0,021 mg/l
Marine water		0,002 mg/l
Freshwater sediment		0,092 mg/kg
Marine sediment		0,0092 mg/kg

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos N3B

Revision: 01.12.2025

Product code: 700

Page 8 of 13

Soil	1,63 mg/kg
------	------------

#### 8.2. Exposure controls



##### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

EN 166

##### Hand protection

Protect skin by using skin protective cream.

Wash hands before breaks and after work.

##### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	characteristic
Odour:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	2,6 vol. %
Upper explosion limits:	12,6 vol. %
Flash point:	>180 °C DIN EN 57
Auto-ignition temperature:	325 °C
pH-Value (at 20 °C):	8,0
Viscosity / kinematic: (at 40 °C)	57 mm <sup>2</sup> /s ASTM D 7042
Vapour pressure:	not determined
Density (at 20 °C):	1,03 g/cm <sup>3</sup> EN ISO 12185

### 9.2. Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 9 of 13

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

Protect against: heat.

**10.5. Incompatible materials**

The following must be prevented: Oxidizing agents, strong. acid.

**10.6. Hazardous decomposition products**

Hazardous decomposition products: none

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.  
Data apply to the main component.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-46-6	2,2'-oxybisethanol, diethylene glycol				
	oral	LD50 mg/kg	12600	Rat	
	dermal	LD50 mg/kg	11890	Rabbit	

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.  
Contains Resin acids and rosin acids. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

No risks worthy of mention. Practical experience.  
The statement is derived from the properties of the single components.  
The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 10 of 13

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.  
The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
111-46-6	2,2' -oxybisethanol, diethylene glycol					
	Acute fish toxicity	LC50 > 32000 mg/l	96 h	Gambusia affinis		
	Acute crustacea toxicity	EC50 10000 mg/l	48 h	Daphnia magna		
	Fish toxicity	NOEC 15380 mg/l	7 d	Pimephales promelas		
	Algae toxicity	NOEC > 100 mg/l	3 d	Pseudokirchnella subcapitata		
	Crustacea toxicity	NOEC 8590 mg/l	7 d	Ceriodahnia dubia		

**12.2. Persistence and degradability**

Product is not easily biodegradable.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
111-46-6	2,2' -oxybisethanol, diethylene glycol			
	OECD TG 302 C	82 %	28	
	Easily biodegradable (concerning to the criteria of the OECD)			
	OECD TG 301 F	90%	28	
	Easily biodegradable (concerning to the criteria of the OECD)			

**12.3. Bioaccumulative potential**

No information available.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
111-46-6	2,2' -oxybisethanol, diethylene glycol	-1,98 (25°C)

**BCF**

CAS No	Chemical name	BCF	Species	Source
111-46-6	2,2' -oxybisethanol, diethylene glycol	100	Fish	

**12.4. Mobility in soil**

in delivery condition: liquid

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**12.6. Endocrine disrupting properties**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos N3B

Revision: 01.12.2025

Product code: 700

Page 11 of 13

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Remove according to the regulations.

##### **List of Wastes Code - residues/unused products**

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

##### **List of Wastes Code - used product**

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

##### **Contaminated packaging**

Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.2. UN proper shipping name:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.3. Transport hazard class(es):</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.4. Packing group:</u></b>	Not a hazardous material with respect to these transportation regulations.

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.2. UN proper shipping name:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.3. Transport hazard class(es):</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.4. Packing group:</u></b>	Not a hazardous material with respect to these transportation regulations.

#### **Marine transport (IMDG)**

<b><u>14.1. UN number or ID number:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.2. UN proper shipping name:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.3. Transport hazard class(es):</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.4. Packing group:</u></b>	-

#### **Air transport (ICAO-TI/IATA-DGR)**

<b><u>14.1. UN number or ID number:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.2. UN proper shipping name:</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.3. Transport hazard class(es):</u></b>	Not a hazardous material with respect to these transportation regulations.
<b><u>14.4. Packing group:</u></b>	-

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

#### **14.6. Special precautions for user**

Personal protection equipment: see section 8

#### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 12 of 13

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: 31,246 % (321,835 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 38,15 % (400,574 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 8,11,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos N3B**

Revision: 01.12.2025

Product code: 700

Page 13 of 13

**Abbreviations and acronyms**

Acute Tox. 4: Acute toxicity, hazard category 4  
Skin Irrit. 2: Skin irritation, hazard category 2  
Eye Irrit. 2: Eye irritation, hazard category 2  
Skin Sens. 1: Skin sensitisation, hazard category 1  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
intérieures)  
IMDG: International Maritime Code for Dangerous Goods  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
EUH208	Contains Resin acids and rosin acids. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*