

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 2 of 13

H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.

Precautionary statements

P260 Do not breathe mist/vapours/spray.
P211 Do not spray on an open flame or other ignition source.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

2.3. Other hazards

Avoid release to the environment.
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha			25-50%
	265-150-3		01-2119486659-16	
	Asp. Tox. 1; H304			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			50-100%
	276-737-9		01-2119474878-16	
	Asp. Tox. 1; H304			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			5 - < 10 %
	265-159-2		01-2119480132-48	
	Asp. Tox. 1; H304			
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dione with Propan-1,2-diol			<2,5 - 3 %
	947-696-0		01-2120768184-49	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-48-9	265-150-3	Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha	25-50%
		inhalation: LC50 = > 5000 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = >5000 mg/kg	
72623-86-0	276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	50-100%
		inhalation: LC50 = > 5,53 mg/l (vapours); dermal: LD50 = 2000-5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	5 - < 10 %
		oral: LD50 = 5000 mg/kg	
	947-696-0	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dionmit Propan-1,2-diol	<2,5 - 3 %
		oral: ATE = 500 mg/kg	

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Move victim to fresh air. Put victim at rest and keep warm. Do not leave affected person unattended.

After inhalation

Provide fresh air. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

Caution if victim vomits: Risk of aspiration! IF SWALLOWED: Gavage

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO₂). Extinguishing powder, alcohol resistant foam.**Unsuitable extinguishing media**

High power water jet. In case of fire: Use for extinction.

5.2. Special hazards arising from the substance or mixture

Heating causes rise in pressure with risk of bursting.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂).**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 4 of 13

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Keep away from unprotected people. Keep upwind. Provide adequate ventilation. High slip hazard because of leaking or spilled product. Remove all sources of ignition.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Provide adequate ventilation. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

See protective measures under point 7 and 8.

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flames or any incandescent material.

Advice on general occupational hygiene

Wash hands before breaks and after work.

Further information on handling

Keep in a cool, well-ventilated place.

Do not store at temperatures over: 50 °C

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

storage temperature: 15-35°C

Do not store at temperatures over: 50 °C

Hints on joint storage

none

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place. Storage 24 month(s)

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 5 of 13

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha			
Worker DNEL, long-term	inhalation	systemic		1286,4 mg/m ³
Worker DNEL, long-term	inhalation	local		837,5 mg/m ³
Worker DNEL, acute	inhalation	local		1066,67 mg/m ³
Consumer DNEL, long-term	inhalation	systemic		1152 mg/m ³
Consumer DNEL, long-term	inhalation	local		178,57 mg/m ³
Consumer DNEL, acute	inhalation	local		640 mg/m ³
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			
Worker DNEL, long-term	inhalation	systemic		2,73 mg/m ³
Worker DNEL, long-term	inhalation	local		5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic		0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local		1,19 mg/m ³
Consumer DNEL, long-term	dermal	systemic		0,74 mg/kg bw/day
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
Worker DNEL, long-term	inhalation	systemic		2,73 mg/m ³
Worker DNEL, long-term	inhalation	local		5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic		0,97 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic		0,74 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local		1,19 mg/m ³
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dionmit Propan-1,2-diol			
Worker DNEL, long-term	inhalation	systemic		7 mg/m ³
Worker DNEL, long-term	dermal	systemic		4 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic		1,7 mg/m ³
Consumer DNEL, long-term	dermal	systemic		2 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic		0,5 mg/kg bw/day

PNEC values

CAS No	Substance	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	
Secondary poisoning		9,33 mg/kg
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dionmit Propan-1,2-diol	
Freshwater		0,026 mg/l
Marine water		0,003 mg/l
Freshwater sediment		0,344 mg/kg
Marine sediment		0,034 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		0,053 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 6 of 13

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

Do not breathe gas/fumes/vapour/spray.
Human, inhalant, short term: Work in well-ventilated zones or use proper respiratory protection.
In case of insufficient ventilation, wear suitable respiratory equipment.
Filter A2 P2

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: light yellow

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not applicable
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7 vol. %
Flash point:	62 °C
Viscosity / kinematic:	not determined ASTM D 7042
Density (at 20 °C):	0,848 g/cm ³

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is: not explosive.
> 50°C = Danger of bursting container.
Protect containers against damage. Do not pierce or burn, even after use.

Other safety characteristics

Solvent content: 46%
Sublimation point: not determined

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 7 of 13

Softening point: not determined

Further Information

Vapours are heavier than air and will spread at floor level.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Flammable aerosol. Pressurized container: May burst if heated.

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

Danger of bursting container. Avoid high temperatures or direct sunlight.

10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Danger of bursting container.

10.5. Incompatible materials

This information is not available.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**There are no data available on the preparation/mixture itself.
Data apply to the main component.**Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point hydrogen treated naphtha				
	oral	LD50 >5000 mg/kg	rat	Echa	OECD 401
	dermal	LD50 > 5000 mg/kg	rabbit		OECD 402
	inhalation (4 h) vapour	LC50 > 5000 mg/l	Rat	Echa	OECD guideline 403
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 2000-5000 mg/kg	Rabbit	ECHA	OECD 402
	inhalation (4 h) vapour	LC50 > 5,53 mg/l	Rat	ECHA/Read across	OECD 403
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	oral	LD50 5000 mg/kg	Rat	ECHA	OECD Guideline 420
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dione mit Propan-1,2-diol				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 9 of 13

12.1. Toxicity

Based on available data, the classification criteria are not met.

No information available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-48-9	Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Onchorhynchus mykiss		OECD 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Dickkopfeleritze		
	Acute algae toxicity	ErC50 > 100 mg/l		Grünalgen		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		
	Crustacea toxicity	NOEC 10,0 mg/l	21 d	Daphnia magna		
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dionmit Propan-1,2-diol					
	Acute fish toxicity	LC50 26,3 mg/l	96 h	Oncorhynchus Mykiss		OECD 203
	Acute crustacea toxicity	EC50 84,91 mg/l	48 h	Daphnia magna		OECD 202
	Acute bacteria toxicity	EC50 1000 mg/l ()		Sludge		OECD 209

12.2. Persistence and degradability

This information is not available.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
72623-86-0	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			
	Impfkultur: Belebtschlamm	31%	28	
	Not easily bio-degradable (according to OECD-criteria).			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
	OECD TG 301 B	30%	28	
	Inhärenter Schlamm	30 %	28	
	Reaction of Dihydro-3-(tetrapropenyl)furan-2,5-dionmit Propan-1,2-diol			
	OECD Guideline 301 B	0,0%	28	
	not readily biodegradable			

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB .

12.6. Endocrine disrupting properties

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 10 of 13

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of this material and its container to hazardous or special waste collection point.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -
Hazard label: 2.1



Classification code: 5F
Special Provisions: 190 327 344 625
Limited quantity: 1 L
Excepted quantity: E0
Transport category: 2
Tunnel restriction code: D

Other applicable information (land transport)

Transport category: 2
Transport as "limited quantity" according to chapter 3.4 ADR/RID.
Tunnelcode E bei mehr als 8000 kg Bruttomasse
Unfallmerkblatt: nicht vorgeschrieben

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2
14.4. Packing group: -

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 11 of 13

Hazard label: 2.1



Classification code: 5F
 Special Provisions: 190 327 344 625
 Limited quantity: 1 L
 Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: 63, 190, 277, 327, 344, 381, 959
 Limited quantity: 1000 mL
 Excepted quantity: E0
 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950
14.2. UN proper shipping name: AEROSOLS, FLAMMABLE
14.3. Transport hazard class(es): 2.1
14.4. Packing group: -
 Hazard label: 2.1



Special Provisions: A145 A167 A802
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y203
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 203
 IATA-max. quantity - Passenger: 75 kg
 IATA-packing instructions - Cargo: 203
 IATA-max. quantity - Cargo: 150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

EMS-Nummer: F-D,S-U
 Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
 Segregation Code SG69 For AEROSOLS with a maximum capacity of 1litre:
 Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.
 For AEROSOLS with a capacity above 1 litre:
 Segregation as for the appropriate subdivision of class 2.
 For WASTE AEROSOLS:
 Segregation as for the appropriate subdivision of class 2.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 12 of 13

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 29, Entry 75

Directive 2004/42/EC on VOC in
paints and varnishes: 46,9 %

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,7,8,9,10,11,12,14,15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

Aerosol 1: Aerosols, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration hazard, hazard category 1

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3

Repr. - Reproduktionstoxizität

Asp. Tox. - Aspirationstoxizität

Acute Tox. - Akute Toxizität

Aquatic Acute - Akute aquatische Toxizität

Aquatic Chronic - Chronische aquatische Toxizität

Eye Dam. - Augenschaden/-reizung

Eye Irrit. - Augenreizung

Skin Corr. - Ätzwirkung auf die Haut

Skin Irrit. - Hautreizung

Skin Sens. - Hautallergen

Resp. Sens. - Inhalationsallergen

STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition

STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition

VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fosia Clean Five

Revision: 11.12.2025

Product code: 11300sp2

Page 13 of 13

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)