

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Jokisch Monos Etia 1.2

REACH Registration Number: 01-2119472146-39-
CAS No: 64741-65-7
Index No: 649-275-00-4
EC No: 918-167-1

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name: Jokisch GmbH
Germany
Street: Industriestraße 5
Place: D-33813 Oerlinghausen
Telephone: +49(0)5202/9734-0
E-mail: info@jokisch-fluids.de
Contact person: Regulatory affairs
E-mail: MSDS@jokisch-fluids.de
Internet: www.jokisch-fluids.de
Responsible Department: Environmental Department

Telefax: +49(0)5202/9734-49

1.4. Emergency telephone number:

Emergency telephone number (24h) + 44 1235 239670 (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 3; H226
Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H229 Pressurised container: May burst if heated.
H304 May be fatal if swallowed and enters airways.
H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 2 of 11

	smoking.
P243	Take action to prevent static discharges.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P273	Avoid release to the environment.
P405	Store locked up.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking. 100 % by mass of the contents are flammable.
--------	---

2.3. Other hazards

Avoid release to the environment.
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
High slip hazard because of leaking or spilled product.

SECTION 3: Composition/information on ingredients**3.1. Substances****Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64741-65-7	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics			50 - < 100 %
	918-167-1		01-2119472146-39-	
	Flam. Liq. 3, Asp. Tox. 1; H226 H304			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64741-65-7	918-167-1	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	50 - < 100 %
	inhalation: LC50 = > 4,95 mg/l (vapours); dermal: LD50 = 2200-2500 mg/kg; oral: LD50 = 5000-15000 mg/kg		

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider:
Pay attention to self-protection!
Symptoms can occur only after several hours.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 3 of 11

apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

IF INHALED: May cause drowsiness or dizziness.

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Ingestion causes nausea, weakness and central nervous system effects.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Keep away from sources of ignition - No smoking.

For non-emergency personnel

Special danger of slipping by leaking/spilling product.

For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 4 of 11

7.1. Precautions for safe handling**Advice on safe handling**

Avoid oil mist
Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Advice on protection against fire and explosion

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Advice on general occupational hygiene

When using do not eat, drink or smoke. Keep away from sources of ignition - No smoking. Remove contaminated, saturated clothing immediately. Avoid contact with skin and eyes.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.
Maximum period of storage (time): 3

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.
Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

8.2. Exposure controls**Appropriate engineering controls**

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment**Eye/face protection**

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 5 of 11

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
EN 14387 Typ A

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	clear	
Odour:	characteristic	
		Test method
Boiling point or initial boiling point and boiling range:	187-213 °C	ASTM D 1078
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	6,0 vol. %	
Flash point:	60 °C	ASTM D 93
pH-Value:	not applicable	
Viscosity / kinematic: (at 20 °C)	1,85 mm²/s	DIN 51562
Partition coefficient n-octanol/water:	6,7-7,2	
Vapour pressure: (at 0 °C)	0,4 hPa	
Vapour pressure: (at 20 °C)	10 hPa	
Density (at 20 °C):	0,76 g/cm³	ASTM D 445

9.2. Other information**Other safety characteristics**

Pour point: < -30 °C ASTM D 97-66

SECTION 10: Stability and reactivity**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: Carbon monoxide, Carbon dioxide (CO₂).

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 6 of 11

Data apply to the main component.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64741-65-7	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics				
	oral	LD50 5000-15000 mg/kg	Rat	ECHA	
	dermal	LD50 2200-2500 mg/kg	Rabbit	ECHA	
	inhalation (4 h) vapour	LC50 > 4,95 mg/l	Rat	ECHA	OECD Guideline 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

May cause long lasting harmful effects to aquatic life.

The statement is derived from the properties of the components.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 7 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64741-65-7	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics					
	Acute fish toxicity	LC50 >1001 mg/l	96 h	Oncorhynchus mykiss	ECHA	OECD Guideline 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	ECHA	OECD Guideline 202
	Crustacea toxicity	NOEC > 1 mg/l	21 d	Daphnia magna	ECHA	OECD Guideline 211

12.2. Persistence and degradability

Moderately/partially biodegradable.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64741-65-7	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics			
	OECD Guideline 301 F	87 %	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64741-65-7	Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	6,7 - 7,2

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Non-contaminated packages may be recycled.

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 1268

14.2. UN proper shipping name:Erdöldestillate, N.A.G.
(Naphtha (Erdöl), schweres Alkylatbenzin)**14.3. Transport hazard class(es):**

3

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 8 of 11

14.4. Packing group:

Hazard label:

III

3



Classification code:

F1

Hazard No:

30

Inland waterways transport (ADN)**14.1. UN number or ID number:**

UN 1268

14.2. UN proper shipping name:

Petroleum distillates, n.o.s.

14.3. Transport hazard class(es):

3

14.4. Packing group:

III

Hazard label:

3 (F)

**Other applicable information (inland waterways transport)**

CDNI Abfallübereinkommen: NST 8963 Lösungsmittel

Marine transport (IMDG)**14.1. UN number or ID number:**

UN 1268

14.2. UN proper shipping name:

Petroleum distillates, n.o.s.

14.3. Transport hazard class(es):

3

14.4. Packing group:

III

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

UN 1268

14.2. UN proper shipping name:

Petroleum distillates, n.o.s.

14.3. Transport hazard class(es):

3

14.4. Packing group:

III

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

Anhang 1

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40

Directive 2010/75/EU on industrial emissions:

< 1,0 %

Directive 2004/42/EC on VOC in paints and varnishes:

< 1,0%

Information according to Directive 2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 9 of 11

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,15.
AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 10 of 11

Abbreviations and acronyms

Aerosol: Aerosols
Flam. Liq: Flammable liquid
Asp. Tox: Aspiration hazard
Aquatic Chronic: Chronic aquatic hazard
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Etia 1.2

Revision date: 01.02.2024

Product code: 117

Page 11 of 11

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>