



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Jokisch Monos Atos A3G

Revision: 01.12.2025

Product code: 186

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Jokisch Monos Atos A3G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Cutting oil

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

**1.4. Emergency telephone number:** Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

#### Further Information

Reserved for industrial and professional use.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Paraffins (Petroleum) , C10-C13, n-alkanes, &lt;2% aromatics

**Signal word:** Danger**Pictograms:****Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to .

#### 2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

High slip hazard because of leaking or spilled product.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos A3G**

Revision: 01.12.2025

Product code: 186

Page 2 of 9

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64771-72-8	Paraffins (Petroleum) , C10-C13, n-alkanes, <2% aromatics			50 - < 100 %
	929-018-5		01-2119475608-26	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64771-72-8	929-018-5	Paraffins (Petroleum) , C10-C13, n-alkanes, <2% aromatics	50 - < 100 %
	inhalation: LC50 = > 5,1 mg/l (vapours); dermal: LD50 = >2001 mg/kg; oral: LD50 = >5000 mg/kg		

**Further Information**

Full text of H- and EUH-statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!  
Symptoms can occur only after several hours.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

IF INHALED: May cause drowsiness or dizziness.  
Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Ingestion causes nausea, weakness and central nervous system effects.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water fog. Extinguishing powder. Carbon dioxide. Foam.

**Unsuitable extinguishing media**

High power water jet.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos A3G

Revision: 01.12.2025

Product code: 186

Page 3 of 9

#### **5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated:  
Carbon dioxide (CO<sub>2</sub>).  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>).

#### **5.3. Advice for firefighters**

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

##### **For non-emergency personnel**

Special danger of slipping by leaking/spilling product.

##### **For emergency responders**

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.  
Collect in closed containers for disposal.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).  
Clean contaminated articles and floor according to the environmental legislation.  
Clean with detergents. Avoid solvent cleaners.

#### **6.4. Reference to other sections**

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Avoid oil mist  
Use only in well-ventilated areas.  
When using do not eat, drink or smoke.

##### **Further information on handling**

High slip hazard because of leaking or spilled product.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.  
Recommended storage temperature: 5-40 °C

##### **Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.  
Maximum period of storage (time): 6 month(s)

##### **Further information on storage conditions**

Protect from sunlight. Store in a well-ventilated place.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos A3G

Revision: 01.12.2025

Product code: 186

Page 4 of 9

#### 7.3. Specific end use(s)

Observe technical data sheet.  
Reserved for industrial and professional use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	
		-	20		STEL (15 min)	

#### 8.2. Exposure controls



##### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

EN 166

##### Hand protection

Protect skin by using skin protective cream.  
Wash hands before breaks and after work.

##### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.  
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
Colour: clear  
Odour: characteristic

Boiling point or initial boiling point and boiling range:	>180 °C	<b>Test method</b>
Lower explosion limits:	0,5 vol. %	
Upper explosion limits:	6 vol. %	
Flash point:	> 62 °C	
Auto-ignition temperature:	ca. 200 °C	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos A3G**

Revision: 01.12.2025

Product code: 186

Page 5 of 9

pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	4 mm <sup>2</sup> /s ASTM D 7042
Vapour pressure: (at 20 °C)	0,001 hPa
Density (at 20 °C):	0,76 g/cm <sup>3</sup> EN ISO 12185

**SECTION 10: Stability and reactivity****10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

Protect against: heat.

**10.5. Incompatible materials**

The following must be prevented: Oxidizing agents, strong. acid.

**10.6. Hazardous decomposition products**

Hazardous decomposition products: none

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.  
Data apply to the main component.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64771-72-8	Paraffins (Petroleum) , C10-C13, n-alkanes, <2% aromatics				
	oral	LD50 mg/kg	>5000	Rat	
	dermal	LD50 mg/kg	>2001	Rabbit	
	inhalation (4 h) vapour	LC50 mg/l	> 5,1	Rat	

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos A3G**

Revision: 01.12.2025

Product code: 186

Page 6 of 9

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Additional information on tests**

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64771-72-8	Paraffins (Petroleum) , C10-C13, n-alkanes, <2% aromatics					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Pimephales Promelas	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	
	Fish toxicity	NOEC mg/l	0,139	28 d	Fish	
	Crustacea toxicity	NOEC mg/l	0,361	28 d	Daphnien	

**12.2. Persistence and degradability**

Product is not easily biodegradable.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

in delivery condition: liquid

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB .

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Jokisch Monos Atos A3G

Revision: 01.12.2025

Product code: 186

Page 7 of 9

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Non-contaminated packages may be recycled.

#### List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

#### List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** Not a hazardous material with respect to these transportation regulations.  
**14.2. UN proper shipping name:** Not a hazardous material with respect to these transportation regulations.  
**14.3. Transport hazard class(es):** Not a hazardous material with respect to these transportation regulations.  
**14.4. Packing group:** Not a hazardous material with respect to these transportation regulations.

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** Not a hazardous material with respect to these transportation regulations.  
**14.2. UN proper shipping name:** Not a hazardous material with respect to these transportation regulations.  
**14.3. Transport hazard class(es):** Not a hazardous material with respect to these transportation regulations.  
**14.4. Packing group:** Not a hazardous material with respect to these transportation regulations.

#### Marine transport (IMDG)

**14.1. UN number or ID number:** Not a hazardous material with respect to these transportation regulations.  
**14.2. UN proper shipping name:** Not a hazardous material with respect to these transportation regulations.  
**14.3. Transport hazard class(es):** Not a hazardous material with respect to these transportation regulations.  
**14.4. Packing group:** -

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** Not a hazardous material with respect to these transportation regulations.  
**14.2. UN proper shipping name:** Not a hazardous material with respect to these transportation regulations.  
**14.3. Transport hazard class(es):** Not a hazardous material with respect to these transportation regulations.  
**14.4. Packing group:** -

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Personal protection equipment: see section 8

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos A3G**

Revision: 01.12.2025

Product code: 186

Page 8 of 9

Directive 2010/75/EU on industrial emissions: 89 % (676,4 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 89,16 % (677,616 g/l)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:  
Paraffins (Petroleum) , C10-C13, n-alkanes, <2% aromatics

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,11,12,13,14,15,16.  
AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Jokisch Monos Atos A3G**

Revision: 01.12.2025

Product code: 186

Page 9 of 9

**Abbreviations and acronyms**

Asp. Tox. 1: Aspiration hazard, hazard category 1  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road )  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
IMDG: International Maritime Code for Dangerous Goods  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

**Relevant H and EUH statements (number and full text)**

H304 May be fatal if swallowed and enters airways.  
EUH066 Repeated exposure may cause skin dryness or cracking.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.  
Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*