

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Jokisch Monos Oxia C4G -22-

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cutting oil

1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

1.4. Emergency telephone number: Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

Precautionary statementsP273 Avoid release to the environment.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.**Special labelling of certain mixtures**EUH208 Contains Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts. May produce an allergic reaction.
Contains 0,1 - < 1 % of components with unknown hazards to the aquatic environment.**2.3. Other hazards**Avoid release to the environment.
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
High slip hazard because of leaking or spilled product.**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 2 of 13

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear			30 - < 35 %
	482-220-0		01-0000020163-82	
	Asp. Tox. 1; H304			
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic			15 - < 20 %
	265-158-7		01-2119487077-29	
	Asp. Tox. 1; H304			
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts			0.1 - < 1 %
	939-603-7		01-2119978241-36	
	Skin Sens. 1; H317			
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol			0.1 - < 1 %
	246-807-3		01-2119510876-35	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
848301-69-9	482-220-0	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	30 - < 35 %	
	dermal: LD50 = > 5001 mg/kg; oral: LD50 = >5000 mg/kg			
64742-55-8	265-158-7	Distillates (petroleum), hydrotreated light paraffinic	15 - < 20 %	
	inhalation: LC50 = > 5,53 mg/l (dusts or mists); dermal: LD50 = 2000-5000 mg/kg; oral: LD50 = 5000 mg/kg			
1471316-72-9	939-603-7	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts	0.1 - < 1 %	
	dermal: LD50 = 2000 mg/kg; oral: LD50 = 10000-20000 mg/kg			
25307-17-9	246-807-3	2,2'-(Octadec-9-enylimino)bisethanol	0.1 - < 1 %	
	oral: LD50 = 1000-1587 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1			

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!
Symptoms can occur only after several hours.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Seek medical attention if problems persist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 3 of 13

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

IF INHALED: May cause drowsiness or dizziness.

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Ingestion causes nausea, weakness and central nervous system effects.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon dioxide (CO₂).

Carbon monoxide

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

For non-emergency personnel

Special danger of slipping by leaking/spilling product.

For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed containers for disposal.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 4 of 13

Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.
Maximum period of storage (time): 3

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.
Reserved for industrial and professional use.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
-	Mineral Oil pure, highly & severely refined (Inhalable)	-	5		TWA (8 h)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 5 of 13

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term		inhalation	local	5,58 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m ³
	Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts			
Worker DNEL, long-term		inhalation	systemic	35,26 mg/m ³
Worker DNEL, long-term		dermal	systemic	25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	8,7 mg/m ³
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,518 mg/cm ²
Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol			
Worker DNEL, long-term		inhalation	systemic	2,96 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,42 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,522 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,15 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,15 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 6 of 13

PNEC values

CAS No	Substance	Value
Environmental compartment		
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	
Micro-organisms in sewage treatment plants (STP)		10 mg/l
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	
Secondary poisoning		9,33 mg/kg
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts	
Freshwater		0,1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		45211 mg/kg
Marine sediment		45211 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		36739 mg/kg
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol	
Freshwater		0,214 mg/l
Marine water		0,0214 mg/l
Freshwater sediment		1,692 mg/kg
Marine sediment		0,1692 mg/kg
Secondary poisoning		2 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,5 mg/l
Soil		5,0 mg/kg

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 7 of 13

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid:
Colour:	light yellow
Odour:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	225 °C DIN ISO 2592
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	22 mm ² /s DIN 51562
Vapour pressure:	not determined
Density (at 15 °C):	0,84 g/cm ³ EN ISO 12185

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.
Data apply to the main component.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD Guideline No 420
	dermal	LD50 > 5001 mg/kg	Rabbit		
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic				
	oral	LD50 5000 mg/kg	Rat	ECHA	
	dermal	LD50 2000-5000 mg/kg	Rabbit	ECHA	
	inhalation (4 h) dust/mist	LC50 > 5,53 mg/l	Rat	ECHA / Read across	OECD 403
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts				
	oral	LD50 10000-20000 mg/kg	Rat	ECHA	
	dermal	LD50 2000 mg/kg	Rat	ECHA	
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol				
	oral	LD50 1000-1587 mg/kg	Rat	ECHA	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 9 of 13

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

The statement is derived from the properties of the components.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Brachydanio rerio	ECHA	OECD Test Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	D. subspicatus	ECHA	OECD Test Guideline 201
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	D. magna	ECHA	OECD Test Guideline 20
	Fish toxicity	NOEC > 101 mg/l	33 d	P. promelas	ECHA	
	Algae toxicity	NOEC > 101 mg/l	28 d	Algen		
	Crustacea toxicity	NOEC > 101 mg/l	21 d	D. Magna	ECHA	OECD 211
	Acute bacteria toxicity	EC50 > 1000 mg/l ()		activated sludge		OECD 209
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		OECD 202
	Algae toxicity	NOEC > 1000 mg/l	3 d	Scenedesmus subspicatus		OECD 201
	Acute bacteria toxicity	EC50 > 10000 mg/l ()				

12.2. Persistence and degradability

No information available.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear				
		11-67%	28		
	Product is partially biodegradable.				
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic				
		31,13%	28		
	Not easily bio-degradable (according to OECD-criteria).				
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts				
	RA_CAS 70024-69-0, OECD 301D	8,0%	28		
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

No information available.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 10 of 13

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
848301-69-9	Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear	> 6,5
1471316-72-9	Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts	6,91
25307-17-9	2,2'-(Octadec-9-enylimino)bisethanol	3,4

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB .

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of contents/container to an appropriate recycling or disposal facility. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Non-contaminated packages may be recycled.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

List of Wastes Code - used product

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

-



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 11 of 13

Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:** No dangerous good in sense of these transport regulations.**14.2. UN proper shipping name:** No dangerous good in sense of these transport regulations.**14.3. Transport hazard class(es):** No dangerous good in sense of these transport regulations.**14.4. Packing group:** -**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Directive 2010/75/EU on industrial emissions: 0

Directive 2004/42/EC on VOC in paints and varnishes: 0,0 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Distillates (Fischer-Tropsch), heavy, C18-50-branched, cyclic and linear

Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,8,9,11,12,13,15,16.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 12 of 13

Abbreviations and acronyms

Acute Tox. 4: Acute toxicity, hazard category 4
 Asp. Tox. 1: Aspiration hazard, hazard category 1
 Skin Corr. 1B: Skin corrosion, sub-category 1B
 Skin Sens. 1: Skin sensitisation, hazard category 1
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Benzenesulfonic acid, di-C10-C14-alkyl derivs., calcium salts. May produce an allergic reaction.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Monos Oxia C4G -22-

Revision: 27.11.2025

Product code: 312

Page 13 of 13

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)