

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Jokisch Migma Tano DSG

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
e-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
e-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	
Responsible Department:	Environmental Department	

1.4. Emergency telephone number: Emergency telephone number (24h) + 44 1235 239670 (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH208	Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 2 of 13

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
770-35-4	1-phenoxypropan-2-ol			5 - < 10 %
	212-222-7		01-2119486566-23	
	Eye Irrit. 2; H319			
68608-26-4	Sulfonic acids, petroleum, sodium salts			1 - < 2.5 %
	271-781-5		01-2119527859-22	
	Eye Irrit. 2; H319			
2682-20-4	2-methylisothiazol-3(2H)-one			< 0.1 %
	220-239-6		01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
770-35-4	212-222-7	1-phenoxypropan-2-ol	5 - < 10 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
68608-26-4	271-781-5	Sulfonic acids, petroleum, sodium salts	1 - < 2.5 %
	dermal: LD50 = > 5001 mg/kg; oral: LD50 = > 5001 mg/kg		
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 242 mg/kg; oral: LD50 = 120-249 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Call a doctor if you feel unwell.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of troubles or persistent symptoms, consult an ophthalmologist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 3 of 13

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Nitrogen oxides (NO_x).

Carbon monoxide

Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

High slip hazard because of leaking or spilled product. Do not breathe mist/vapours/spray. Provide adequate ventilation.

For non-emergency personnel

Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 4 of 13

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 year

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migra Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 5 of 13

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
770-35-4	1-phenoxypropan-2-ol			
Worker DNEL, long-term		inhalation	systemic	25,7 mg/m ³
Worker DNEL, long-term		dermal	systemic	42 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	21 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	3,65 mg/kg bw/day
68608-26-4	Sulfonic acids, petroleum, sodium salts			
Worker DNEL, long-term		inhalation	systemic	0,66 mg/m ³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,33 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1667 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
Worker DNEL, long-term		dermal	systemic	20 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	67,5 mg/m ³
Worker DNEL, long-term		inhalation	local	67,5 mg/m ³
Consumer DNEL, long-term		dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,25 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	34 mg/m ³
Consumer DNEL, acute		inhalation	local	50,6 mg/m ³
141-43-5	2-aminoethanol; ethanolamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m ³
Worker DNEL, long-term		inhalation	local	0,51 mg/m ³
Worker DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,28 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
2682-20-4	2-methylisothiazol-3(2H)-one			
Worker DNEL, long-term		inhalation	local	0,021 mg/m ³
Worker DNEL, acute		inhalation	local	0,043 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,021 mg/m ³
Consumer DNEL, acute		inhalation	local	0,043 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,027 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,053 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 6 of 13

PNEC values

CAS No	Substance	Value
Environmental compartment		
770-35-4	1-phenoxypropan-2-ol	
Freshwater		0,1 mg/l
Marine water		0,01 mg/l
Freshwater sediment		0,38 mg/kg
Marine sediment		0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,02 mg/kg
68608-26-4	Sulfonic acids, petroleum, sodium salts	
Freshwater		1 mg/l
Marine water		1 mg/l
Freshwater sediment		723500000 mg/kg
Marine sediment		723500000 mg/kg
Secondary poisoning		16667 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		868700000 mg/kg
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	
Freshwater		1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		4 mg/kg
Marine sediment		0,4 mg/kg
Soil		0,4 mg/kg
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,375 mg/kg
Marine sediment		0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1,29 mg/kg
2682-20-4	2-methylisothiazol-3(2H)-one	
Freshwater		3,39
Marine water		3,39
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,047 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migra Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 7 of 13

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes.
Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product.
Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Thermal hazards

Remove all sources of ignition.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	light brown
Odour:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
pH-Value (at 20 °C):	in aqueous solution 5% ; 8,9 DIN 51369
Viscosity / kinematic: (at 20 °C)	58 mm ² /s ASTM D 7042
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,99 g/cm ³ EN ISO 12185

9.2. Other information**Other safety characteristics**

Pour point:	not determined
Viscosity / dynamic:	not determined
Refraktometer 1,8	

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect against: heat.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migra Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 8 of 13

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
770-35-4	1-phenoxypropan-2-ol				
	oral	LD50 > 2000 mg/kg	Rat		OECD guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit		OECD guideline 402
68608-26-4	Sulfonic acids, petroleum, sodium salts				
	oral	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 401
	dermal	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 402
2682-20-4	2-methylisothiazol-3(2H)-one				
	oral	LD50 120-249 mg/kg	Rat	ECHA	EPA OPPTS 870.1100
	dermal	LD50 242 mg/kg	Rat	ECHA	Standard acute method
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 9 of 13

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
770-35-4	1-phenoxypropan-2-ol					
	Acute fish toxicity	LC50 280 mg/l	96 h	Fathead minnow		
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	algae		
	Acute crustacea toxicity	EC50 370 mg/l	48 h	Daphnia		
68608-26-4	Sulfonic acids, petroleum, sodium salts					
	Acute fish toxicity	LC50 > 10000 mg/l	96 h	marine species		
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	freshwater algae		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		
2682-20-4	2-methylisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 4,77 mg/l	96 h	Oncorhynchus mykiss	ECHA	OECD Guideline 203
	Acute algae toxicity	ErC50 0,157 mg/l	72 h	Grünalge	ECHA	
	Acute crustacea toxicity	EC50 0,934 mg/l	48 h	Daphnia magna	ECHA	OECD Guideline 202
	Algae toxicity	NOEC 0,05 mg/l	72 d	Pseudokirchneriella subcapitata		
	Crustacea toxicity	NOEC 0,044 mg/l	21 d	Daphnia magna	ECHA	OECD Guideline 211
	Acute bacteria toxicity	(EC50 34,6 mg/l)	3 h	Pseudokirchneriella subcapitata		OECD Guideline 201

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
770-35-4	1-phenoxypropan-2-ol				
	OECD Guideline 301 F	72%	10		
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

The product has not been tested.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 10 of 13

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
770-35-4	1-phenoxypropan-2-ol	1,41
68608-26-4	Sulfonic acids, petroleum, sodium salts	22,12
2682-20-4	2-methylisothiazol-3(2H)-one	-0,486

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No information available.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

Dispose of contents/container to an appropriate recycling or disposal facility. Consult the local waste disposal expert about waste disposal.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

List of Wastes Code - residues/unused products

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 11 of 13

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	-

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	-

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Restrictions on use (REACH, annex XVII):
Entry 55, Entry 75**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),
ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)**Abbreviations and acronyms**CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 12 of 13

BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Abkürzungen und Akronyme siehe Verzeichnis unter <http://abk.esdscom.eu>



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSG

Revision date: 01.01.2023

Product code: 66

Page 13 of 13

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)