

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Jokisch Fotia Alea 1.2

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Parting agent.

1.3. Details of the supplier of the safety data sheet

Company name: Jokisch GmbH
Germany
Street: Industriestraße 5
Place: D-33813 Oerlinghausen
Telephone: +49(0)5202/9734-0
Telefax: +49(0)5202/9734-49
E-mail: info@jokisch-fluids.de
Contact person: Regulatory affairs
E-mail: MSDS@jokisch-fluids.de
Internet: www.jokisch-fluids.de

1.4. Emergency telephone number:

Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH210 Safety data sheet available on request.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
68608-26-4	Sulfonic acids, petroleum, sodium salts			1 - < 2.5 %
	271-781-5		01-2119527859-22	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 2 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
68608-26-4	271-781-5	Sulfonic acids, petroleum, sodium salts	1 - < 2.5 %
		dermal: LD50 = > 5001 mg/kg; oral: LD50 = > 5001 mg/kg	

Further Information

Full text of H-phrases: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps. First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If swallowed, immediately drink: Water. Move victim to fresh air. Put victim at rest and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

See protective measures under point 7 and 8.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 3 of 10

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up: Sand, Universal binding agent. Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Advice on general occupational hygiene

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.
Recommended storage temperature: 5-40 °C
Maximum period of storage (time): 1 year

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Protect from direct sunlight.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
111-42-2	Diethanolamine (Inhalable Fraction and Vapour)	0.2	1		TWA (8 h)	
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	
102-71-6	Triethanolamine	-	5		TWA (8 h)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 4 of 10

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
102-71-6	Triethanolamin			
Worker DNEL, long-term		inhalation	local	1 mg/m ³
Worker DNEL, long-term		dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	0,4 mg/m ³
Consumer DNEL, long-term		dermal	local	2,66 mg/person/day
Consumer DNEL, long-term		oral	systemic	3,3 mg/kg bw/day
57-55-6	1,2-propylene glycol (1,2-propanediol)1,2-propylene glycol (1,2-propanediol)			
Worker DNEL, long-term		inhalation	systemic	168 mg/m ³
Consumer DNEL, long-term		oral	systemic	85 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	213 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	10 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	50 mg/m ³
68608-26-4	Sulfonic acids, petroleum, sodium salts			
Worker DNEL, long-term		inhalation	systemic	0,66 mg/m ³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,33 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1667 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
111-42-2	2,2'-iminodiethanol; diethanolamine			
Worker DNEL, long-term		inhalation	systemic	0,75 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	0,125 mg/m ³
Worker DNEL, long-term		inhalation	local	0,5 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,125 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,130 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,07 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,06 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 5 of 10

PNEC values

CAS No	Substance	Value
Environmental compartment		
102-71-6	Triethanolamin	
Freshwater		0,32 mg/l
Marine water		0,32 mg/l
Freshwater sediment		1,7 mg/kg
Marine sediment		0,17 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,151 mg/kg
57-55-6	1,2-propylene glycol (1,2-propanediol)1,2-propylene glycol (1,2-propanediol)	
Freshwater		260 mg/l
Marine water		26 mg/l
Freshwater sediment		572 mg/kg
Marine sediment		57,2 mg/kg
Soil		50 mg/kg
68608-26-4	Sulfonic acids, petroleum, sodium salts	
Freshwater		1 mg/l
Marine water		1 mg/l
Freshwater sediment		723500000 mg/kg
Marine sediment		723500000 mg/kg
Secondary poisoning		16667 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		868700000 mg/kg
111-42-2	2,2'-iminodiethanol; diethanolamine	
Freshwater		0,021 mg/l
Marine water		0,002 mg/l
Freshwater sediment		0,092 mg/kg
Marine sediment		0,0092 mg/kg
Soil		1,63 mg/kg

8.2. Exposure controls



Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes.
Take off immediately all contaminated clothing.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 6 of 10

Thorough skin-cleansing after handling the product.
Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	light yellow
Odour:	characteristic

	Test method
Melting point/freezing point:	not determined
Flash point:	not relevant
Auto-ignition temperature:	not determined
pH-Value (at 20 °C):	9,4 DIN 51369
Viscosity / kinematic: (at 20 °C)	2,4 mm ² /s ASTM D 7042
Vapour pressure:	not determined
Density (at 20 °C):	1,08 g/cm ³ EN ISO 12185

9.2. Other information**Other safety characteristics**

Sublimation point:	not determined
Softening point:	not determined

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Protect from direct sunlight.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.
Data apply to the main component.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 7 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
68608-26-4	Sulfonic acids, petroleum, sodium salts				
	oral	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 401
	dermal	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

According to the present state of knowledge negative ecological effects are not expected.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68608-26-4	Sulfonic acids, petroleum, sodium salts					
	Acute fish toxicity	LC50 > 10000 mg/l	96 h	marine species		
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	freshwater algae		
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68608-26-4	Sulfonic acids, petroleum, sodium salts	22,12

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

According to the present state of knowledge negative ecological effects are not expected. The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; wastes not otherwise specified

List of Wastes Code - used product

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; wastes not otherwise specified

Contaminated packaging

Water (with cleaning agent). Non-contaminated packages may be recycled.

SECTION 14: Transport information



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 9 of 10

Land transport (ADR/RID)

14.1. UN number or ID number:	Not a hazardous material with respect to these transportation regulations.
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
14.3. Transport hazard class(es):	Not a hazardous material with respect to these transportation regulations.
14.4. Packing group:	Not a hazardous material with respect to these transportation regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:	Not a hazardous material with respect to these transportation regulations.
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
14.3. Transport hazard class(es):	Not a hazardous material with respect to these transportation regulations.
14.4. Packing group:	Not a hazardous material with respect to these transportation regulations.

Marine transport (IMDG)

14.1. UN number or ID number:	Not a hazardous material with respect to these transportation regulations.
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
14.3. Transport hazard class(es):	Not a hazardous material with respect to these transportation regulations.
14.4. Packing group:	-

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	Not a hazardous material with respect to these transportation regulations.
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
14.3. Transport hazard class(es):	Not a hazardous material with respect to these transportation regulations.
14.4. Packing group:	-

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: 1,91 % (20,628 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 3,426 % (37,001 g/l)

Additional information

There is no obligatory labelling requirement according to the Directive covering preparations 1999/45/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Fotia Alea 1.2

Revision: 01.01.2026

Product code: 10600506

Page 10 of 10

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

Eye Irrit. 2: Eye irritation, hazard category 2
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.
EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)