SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Jokisch Migma Tano KSR

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	

1.4. Emergency telephone number:

Emergency telephone number (24h) +1 872 5888271 (JRR) (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315
Eye Irrit. 2; H319
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Precautionary statements

P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see ... on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.

P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			50 - < 100 %
	265-159-2		01-2119480132-48	
	Asp. Tox. 1; H304			
68608-26-4	Sulfonic acids, petroleum, sodium salts			2.5 - < 5 %
	271-781-5		01-2119527859-22	
	Eye Irrit. 2; H319			
68511-37-5	Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-,mono-C12-14-alkyl ethers, phosphates			2.5 - < 5 %
	614-543-1			
	Skin Irrit. 2; H315			
770-35-4	1-phenoxypropan-2-ol			1 - < 2.5 %
	212-222-7		01-2119486566-23	
	Eye Irrit. 2; H319			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			1 - < 2.5 %
	203-961-6		01-2119475104-44	
	Eye Irrit. 2; H319			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			1 - < 2.5 %
	500-236-9		01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 1; H315 H410			
1310-58-3	potassium hydroxide; caustic potash			0.5 - < 1 %
	215-181-3			
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1; H290 H302 H314 H318			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.036 %
	220-120-9	613-088-00-6		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410			
141-43-5	2-aminoethanol; ethanolamine			< 0.1 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H318 H317 H335 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64742-56-9	265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified	50 - < 100 %
	oral: LD50 = 5000 mg/kg		
68608-26-4	271-781-5	Sulfonic acids, petroleum, sodium salts	2.5 - < 5 %
	dermal: LD50 = > 5001 mg/kg; oral: LD50 = > 5001 mg/kg		
68511-37-5	614-543-1	Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-,mono-C12-14-alkyl ethers, phosphates	2.5 - < 5 %
	oral: LD50 = >2000 mg/kg		
770-35-4	212-222-7	1-phenoxypropan-2-ol	1 - < 2.5 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	1 - < 2.5 %
	dermal: LD50 = 2764 mg/kg; oral: LD50 = 3305 mg/kg		
68920-66-1	500-236-9	Alcohols, C16-18 and C18-unsatd., ethoxylated	1 - < 2.5 %
	inhalation: LC50 = > 100 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
1310-58-3	215-181-3	potassium hydroxide; caustic potash	0.5 - < 1 %
	oral: LD50 = 333-388 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.036 %
	inhalation: ATE 0,21 mg/l (dusts or mists); dermal: LD50 = > 2001 mg/kg; oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1		
141-43-5	205-483-3	2-aminoethanol; ethanolamine	< 0.1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 1025 mg/kg; oral: LD50 = 1515 mg/kg STOT SE 3; H335: >= 5 - 100		

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Call a doctor if you feel unwell.

After contact with skin

Remove contaminated, saturated clothing immediately.After contact with skin, wash immediately with plenty of water and soap. In case of troubles or persistent symptoms, consult an ophthalmologist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:
Nitrogen oxides (NOx).
Carbon monoxide
Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.
High slip hazard because of leaking or spilled product. Do not breathe mist/vapours/spray. Provide adequate ventilation.

For non-emergency personnel

Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Section 7: Handling and Storage
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
When using do not eat, drink or smoke.

Further information on handling

When using do not eat, drink or smoke.
High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.
Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 year

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Maximum period of storage (time): 1 year

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
141-43-5	Ethanolamine (2-Aminoethanol)	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
Worker DNEL, long-term		inhalation	systemic	2,73 mg/m³
Worker DNEL, long-term		inhalation	local	5,58 mg/m³
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,19 mg/m³
68608-26-4	Sulfonic acids, petroleum, sodium salts			
Worker DNEL, long-term		inhalation	systemic	0,66 mg/m³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,33 mg/m³
Consumer DNEL, long-term		dermal	systemic	1667 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
770-35-4	1-phenoxypropan-2-ol			
Worker DNEL, long-term		inhalation	systemic	25,7 mg/m³
Worker DNEL, long-term		dermal	systemic	42 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	21 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	3,65 mg/kg bw/day
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	60,7 mg/m³
Worker DNEL, long-term		inhalation	local	67,5 mg/m³
Consumer DNEL, long-term		inhalation	local	40,5 mg/m³
Consumer DNEL, long-term		inhalation	systemic	40,5 mg/m³
Worker DNEL, long-term		inhalation	systemic	67,5 mg/m³
Worker DNEL, acute		inhalation	local	101,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			
Worker DNEL, long-term		inhalation	systemic	294 mg/m³
Worker DNEL, long-term		dermal	systemic	2080 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	87 mg/m³
Consumer DNEL, long-term		dermal	systemic	1250 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	25 mg/kg bw/day
1310-58-3	potassium hydroxide; caustic potash			
Worker DNEL, long-term		inhalation	local	1 mg/m³

Consumer DNEL, long-term	inhalation	local	1 mg/m³
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		
Worker DNEL, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,345 mg/kg bw/day
1310-73-2	Sodium hydroxide; caustic soda		
Worker DNEL, long-term	inhalation	local	1 mg/m³
Consumer DNEL, long-term	inhalation	local	1 mg/m³
141-43-5	2-aminoethanol; ethanolamine		
Worker DNEL, long-term	inhalation	systemic	1 mg/m³
Worker DNEL, long-term	inhalation	local	0,51 mg/m³
Worker DNEL, long-term	dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,18 mg/m³
Consumer DNEL, long-term	inhalation	local	0,28 mg/m³
Consumer DNEL, long-term	dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	1,5 mg/kg bw/day

PNEC values

CAS No	Substance
Environmental compartment	Value
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified
Secondary poisoning	9,33 mg/kg
68608-26-4	Sulfonic acids, petroleum, sodium salts
Freshwater	1 mg/l
Marine water	1 mg/l
Freshwater sediment	723500000 mg/kg
Marine sediment	723500000 mg/kg
Secondary poisoning	16667 mg/kg
Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	868700000 mg/kg
770-35-4	1-phenoxypropan-2-ol
Freshwater	0,1 mg/l
Marine water	0,01 mg/l
Freshwater sediment	0,38 mg/kg
Marine sediment	0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,02 mg/kg
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether
Freshwater	1,1 mg/l
Marine water	0,11 mg/l
Freshwater sediment	4,4 mg/kg
Marine sediment	0,44 mg/kg
Secondary poisoning	56 mg/kg
Micro-organisms in sewage treatment plants (STP)	200 mg/l
Soil	0,4 mg/kg
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated
Freshwater	0,007 mg/l
Marine water	0,001 mg/l
Freshwater sediment	22,79 mg/kg
Marine sediment	2,28 mg/kg
Secondary poisoning	10 mg/l
Soil	1,0 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
Freshwater	4,03
Marine water (intermittent releases)	0,403
Freshwater sediment	49,9
Marine sediment	4,99
Micro-organisms in sewage treatment plants (STP)	1,03 mg/l
Soil	3 mg/kg
141-43-5	2-aminoethanol; ethanolamine

Freshwater	0,07 mg/l
Marine water	0,007 mg/l
Freshwater sediment	0,357 mg/kg
Marine sediment	0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)	100 mg/l
Soil	1,29 mg/kg

Additional advice on limit values

@0801.B080449 Pyridin-2-thiol-1-oxid, Natriumsalz (CAS 3811-73-2) 0,2 E mg/m³ (02/19).

8.2. Exposure controls




Individual protection measures, such as personal protective equipment

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.
Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes.
Take off immediately all contaminated clothing.
Thorough skin-cleansing after handling the product.
Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Thermal hazards

Remove all sources of ignition.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	dark brown
Odour:	characteristic

		Test method
Boiling point or initial boiling point and boiling range:	not determined	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
pH-Value (at 20 °C):	9,2	DIN 51369
Viscosity / kinematic: (at 20 °C)	70 mm²/s	ASTM D 7042
Vapour pressure:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	0,89 g/cm³	EN ISO 12185

9.2. Other information

Other safety characteristics

Pour point:	not determined
Viscosity / dynamic:	not determined

Further Information

Refraktometer 1,3

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified				
	oral	LD50 5000 mg/kg	Rat	ECHA	OECD Guideline 420
68608-26-4	Sulfonic acids, petroleum, sodium salts				
	oral	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 401
	dermal	LD50 > 5001 mg/kg	Rat	Echa	OECD Guideline 402
68511-37-5	Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-,mono-C12-14-alkyl ethers, phosphates				
	oral	LD50 >2000 mg/kg	Rat		OECD 401
770-35-4	1-phenoxypropan-2-ol				
	oral	LD50 > 2000 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit		OECD 402
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 3305 mg/kg	Rat		
	dermal	LD50 2764 mg/kg	Rabit		
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	oral	LD50 > 2000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA	OECD 402
	inhalation (4 h) vapour	LC50 > 100 mg/l	Rat	ECHA	OECD 403
1310-58-3	potassium hydroxide; caustic potash				
	oral	LD50 333-388 mg/kg	Rat	ECHA	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	ATE 450 mg/kg			
	dermal	LD50 > 2001 mg/kg	Rat		
	inhalation dust/mist	ATE 0,21 mg/l			
141-43-5	2-aminoethanol; ethanolamine				
	oral	LD50 1515 mg/kg	Rat		
	dermal	LD50 1025 mg/kg	Rabbit	IUCLID	
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.
Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

No risks worthy of mention. Practical experience.
The statement is derived from the properties of the single components.
The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] | [d]	Species	Source	Method
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified						
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Dickkopfelritze		
	Acute algae toxicity	ErC50	> 100 mg/l		Grünalgen		
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna		
	Crustacea toxicity	NOEC	10,0 mg/l	21 d	Daphnia magna		
68608-26-4	Sulfonic acids, petroleum, sodium salts						
	Acute fish toxicity	LC50	> 10000 mg/l	96 h	marine species		
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	freshwater algae		
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna		
68511-37-5	Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-,mono-C12-14-alkyl ethers, phosphates						
	Acute fish toxicity	LC50	5,7 mg/l	96 h	Leuciscus idus (Goldorfe)		OECD 203
	Acute crustacea toxicity	EC50	0,33 mg/l	48 h	Daphnia magna (Großer Wasserfloh)		OECD 202
770-35-4	1-phenoxypropan-2-ol						
	Acute fish toxicity	LC50	280 mg/l	96 h	Pimephales promelas(		OECD 203
	Acute algae toxicity	ErC50	74,5 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50	370 mg/l	48 h	Daphnia magna		OECD 202
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether						
	Acute fish toxicity	LC50	2500 mg/l	96 h	Leopomis macrochirus		static methode
	Acute algae toxicity	ErC50	> 100 mg/l	96 h	Scenedesmus subspicatus		static methode
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna		static methode
	Acute bacteria toxicity	EC50	> 1000 mg/l ( )				static methode 0,1d
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated						
	Acute fish toxicity	LC50	108 mg/l	96 h	Danio rerio (zebrafish)	ECHA	OECD 203
	Acute algae toxicity	ErC50	> 10 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	ECHA	
	Acute bacteria toxicity	EC50	>1000 mg/l ( )		Activated sludge		OECD 209
1310-58-3	potassium hydroxide; caustic potash						
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis (Mosquito fish)	ECHA	OECD Sids
	Acute crustacea toxicity	EC50	270 mg/l	48 h	Daphnia magna		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute fish toxicity	LC50	1,5 mg/l	96 h	Oncorhynchus mykiss		

	Acute algae toxicity	ErC50 mg/l	0,108	96 h	Algae		
	Acute crustacea toxicity	EC50 mg/l	0,99	48 h	Daphnia magne		
141-43-5	2-aminoethanol; ethanolamine						
	Acute fish toxicity	LC50	150 mg/l	96 h	Oncorhynchus mykiss	IUCLID	
	Acute algae toxicity	ErC50	22 mg/l	72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil - unspecified			
	OECD TG 301 B	30%	28	
	Inhärenter Schlamm	30 %	28	
770-35-4	1-phenoxypropan-2-ol			
	OECD 301 F	72%		
	Easily biodegradable (concerning to the criteria of the OECD)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
	OECD 301C / ISO 9408	89 %	28	
	Product is biodegradable.			
	OECD 302B	100 %	28	
	Product is biodegradable.			
	OECD TG 301 E	94 %	28	
	Product is biodegradable.			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			
	OECD 301 B	> 70 %	28	
	Product is biodegradable.			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68608-26-4	Sulfonic acids, petroleum, sodium salts	22,12
770-35-4	1-phenoxypropan-2-ol	1,41
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,29
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	6,13
1310-58-3	potassium hydroxide; caustic potash	0,83
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	0,7
141-43-5	2-aminoethanol; ethanolamine	-1,91 (25°C)

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,95		

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
none according to Regulation (EC) No. 1907/2006 (REACH)

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.
Dispose of contents/container to an appropriate recycling or disposal facility. Consult the local waste disposal expert about waste disposal.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	-

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	-

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-,mono-C12-14-alkyl ethers, phosphates
Alcohols, C16-18 and C18-unsatd., ethoxylated

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 15.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1
Acute Tox. 2: Acute toxicity, hazard category 2
Acute Tox. 4: Acute toxicity, hazard category 4
Asp. Tox. 1: Aspiration hazard, hazard category 1
Skin Corr. 1A: Skin corrosion, sub-category 1A
Skin Corr. 1B: Skin corrosion, sub-category 1B
Skin Irrit. 2: Skin irritation, hazard category 2
Eye Dam. 1: Serious eye damage, hazard category 1
Eye Irrit. 2: Eye irritation, hazard category 2
Skin Sens. 1: Skin sensitisation, hazard category 1
Skin Sens. 1A: Skin sensitisation, hazard category 1A
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung

Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung
Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)