

TECHNICAL DATA SHEET

JOKISCH MIGMA EVIO KSG (Jokisch NBK-SKI)

Special abrasive for processing glas, ceramics and plastic.

Free of formaldehyde and boric acid - free of secondary amines – chloride free – silicone free

APPLICATION

High-quality, synthetic, water-soluble special abrasive. It has been specially developed for the production of sports skis and has proven itself in many areas of general metal processing. Further successful in the repair and maintenance area for regrinding the edges in grinding machines at service stations in use.

CHARACTERISTICS

Formulated with high-quality additives, which results in a clear special abrasive with very high and stable corrosion protection. It has special additives to prevent rotting processes. Excellent cleaning power, so that smearing of the mold surfaces is prevented. Allows rapid settling of abrasive dust in the collecting container. The circulating abrasive does not contain abrasive particles. Damage to the abrasive image by grinding dust is thus avoided.

PROPOSED CONCENTRATION

As abrasive: Mixing ratio 2,5 - 4 % = 1 : 40 – 1 : 25

TECHNICAL SPECIFICATIONS

	UNIT	METHOD	JOKISCH MIGMA EVIO KSG
Kin. viscosity at 20°C	mm ² /s	ASTM D 7042	10
Density at 20°C	g/cm ³	DIN EN ISO 12185	1,04
pH-value at 20°C	-	DIN 51369	9,5
Refractometerindex	-	-	2,5
Mineral oil content	%	-	0

This information is based on the latest state of knowledge. They are intended to describe the product and thus do not have the meaning to assure certain properties. A liability can not be derived from this.

STORAGE

Storage temperature: 5 – 40°C
Storage time: 12 months

Jokisch GmbH
Fabrik für Schmier- und Kühlmittelspezialitäten

Industriestraße 5-10 | 33813 Oerlinghausen
T +49 52 02 97 34 0 | F +49 52 02 97 34 49
info@jokisch-fluids.de | www.jokisch-fluids.de

