



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Jokisch Migma Tano DSY

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Jokisch GmbH	
	Germany	
Street:	Industriestraße 5	
Place:	D-33813 Oerlinghausen	
Telephone:	+49(0)5202/9734-0	Telefax: +49(0)5202/9734-49
E-mail:	info@jokisch-fluids.de	
Contact person:	Regulatory affairs	
E-mail:	MSDS@jokisch-fluids.de	
Internet:	www.jokisch-fluids.de	
Responsible Department:	Environmental Department	

1.4. Emergency telephone number: Emergency telephone number (24h) + 44 1235 239670 (en)

Further Information

Reserved for industrial and professional use.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to .

Special labelling of certain mixtures

EUH208 Contains 2-n-butyl-benzo[d]isothiazol-3-one. May produce an allergic reaction.

2.3. Other hazards

Avoid release to the environment.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 2 of 15

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			1 - < 2.5 %
	203-961-6		01-2119475104-44	
	Eye Irrit. 2; H319			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			1 - < 2.5 %
	500-236-9		01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 1; H315 H410			
4299-07-4	2-n-butyl-benzo[d]isothiazol-3-one			0.1 - < 1 %
	420-590-7			
	Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H317 H400 H410			
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl			0.1 - < 1 %
	201-993-5		01-2119511183-53	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H315 H319 H335 H400 H410			
141-43-5	2-aminoethanol; ethanolamine			< 0.1 %
	205-483-3	603-030-00-8		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H318 H335 H412			
128-04-1	Natriumdimethylthiocarbamat			< 0.1 %
	204-876-7		01-2119543695-32	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	1 - < 2.5 %	
	dermal: LD50 = 2764 mg/kg; oral: LD50 = 3305 mg/kg			
68920-66-1	500-236-9	Alcohols, C16-18 and C18-unsatd., ethoxylated	1 - < 2.5 %	
	inhalation: LC50 = > 100 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg			
90-43-7	201-993-5	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl	0.1 - < 1 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 2733 mg/kg			
141-43-5	205-483-3	2-aminoethanol; ethanolamine	< 0.1 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 2504 mg/kg; oral: LD50 = 1098 mg/kg STOT SE 3; H335: >= 5 - 100			
128-04-1	204-876-7	Natriumdimethylthiocarbamat	< 0.1 %	
	dermal: LD50 = 5000 mg/kg; oral: LD50 = 2500 mg/kg Aquatic Acute 1; H400: M=100			

Further Information

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 3 of 15

General information

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Call a doctor if you feel unwell.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Nitrogen oxides (NO_x).

Carbon monoxide

Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

High slip hazard because of leaking or spilled product. Do not breathe mist/vapours/spray. Provide adequate ventilation.

For non-emergency personnel

Take off immediately all contaminated clothing and wash it before reuse.

For emergency responders

The danger areas must be delimited and identified using relevant warning and safety signs. Move victim out of danger zone.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 4 of 15

6.4. Reference to other sections

Section 7: Handling and Storage

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

When using do not eat, drink or smoke.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 year

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	
		3	7.6		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 5 of 15

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
Worker DNEL, long-term		dermal	systemic	20 mg/kg bw/day
Consumer DNEL, acute		inhalation	local	50,6 mg/m ³
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			
Worker DNEL, long-term		inhalation	systemic	294 mg/m ³
Worker DNEL, long-term		dermal	systemic	2080 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	87 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1250 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	25 mg/kg bw/day
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl			
Worker DNEL, long-term		inhalation	systemic	19,25 mg/m ³
Worker DNEL, long-term		dermal	systemic	21,84 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,4 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,4 mg/kg bw/day
141-43-5	2-aminoethanol; ethanolamine			
Worker DNEL, long-term		inhalation	systemic	1 mg/m ³
Worker DNEL, long-term		inhalation	local	0,51 mg/m ³
Worker DNEL, long-term		dermal	systemic	3 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m ³
Consumer DNEL, long-term		inhalation	local	0,28 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	1,5 mg/kg bw/day
128-04-1	Natriumdimethyldithiocarbamat			
Worker DNEL, long-term		inhalation	systemic	0,930 mg/m ³
Worker DNEL, long-term		dermal	systemic	2,71 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,230 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,35 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,100 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 6 of 15

PNEC values

CAS No	Substance	Value
Environmental compartment		
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	
Freshwater		1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		4 mg/kg
Marine sediment		0,4 mg/kg
Soil		0,4 mg/kg
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	
Freshwater		0,007 mg/l
Marine water		0,001 mg/l
Freshwater sediment		22,79 mg/kg
Marine sediment		2,28 mg/kg
Secondary poisoning		10 mg/l
Soil		1,0 mg/kg
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl	
Freshwater		0,00009 mg/l
Marine water		0,00009 mg/l
Marine water (intermittent releases)		0,027 mg/l
Freshwater sediment		0,1284 mg/kg
Marine sediment		0,01284 mg/kg
Soil		2,5 mg/kg
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Marine water		0,007 mg/l
Freshwater sediment		0,375 mg/kg
Marine sediment		0,036 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		1,29 mg/kg
128-04-1	Natriumdimethyldithiocarbamat	
Freshwater		0,000014 mg/l
Marine water		0,0000014 mg/l
Freshwater sediment		0,00005476 mg/kg
Marine sediment		0,000005476 mg/kg
Soil		0,1652 mg/l

8.2. Exposure controls



Individual protection measures, such as personal protective equipment



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 7 of 15

Eye/face protection

EN 166

Hand protection

Protect skin by using skin protective cream.

Wash hands before breaks and after work.

Skin protection

Chemical resistant safety shoes.

Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product.

Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Thermal hazards

Remove all sources of ignition.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	light brown
Odour:	characteristic
Odour threshold:	characteristic

	Test method
Boiling point or initial boiling point and boiling range:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	142 °C ASTM D 92
Auto-ignition temperature:	not determined
pH-Value (at 20 °C):	9,6 DIN 51369
Viscosity / kinematic: (at 20 °C)	41 mm ² /s ASTM D 7042
Vapour pressure:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	0,97 g/cm ³ EN ISO 12185

9.2. Other information

Other safety characteristics

Pour point:	not determined
Viscosity / dynamic:	not determined

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 8 of 15

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 3305 mg/kg	Rat		
	dermal	LD50 2764 mg/kg	Rabbit		
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	oral	LD50 > 2000 mg/kg	Rat	ECHA	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	ECHA	OECD 402
	inhalation (4 h) vapour	LC50 > 100 mg/l	Rat	ECHA	OECD Guideline 403
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl				
	oral	LD50 2733 mg/kg	Rat		OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit		OECD 402
141-43-5	2-aminoethanol; ethanolamine				
	oral	LD50 1098 mg/kg	Rat		OECD Guideline 401
	dermal	LD50 2504 mg/kg	Rabbit	IUCLID	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
128-04-1	Natriumdimethyldithiocarbamat				
	oral	LD50 2500 mg/kg	Rat	ECHA	
	dermal	LD50 5000 mg/kg	Rat	ECHA	

Irritation and corrosivity

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 9 of 15

Sensitising effects

Based on available data, the classification criteria are not met.
Contains 2-n-butyl-benzo[d]isothiazol-3-one. May produce an allergic reaction.
No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.
No data available

Aspiration hazard

Based on available data, the classification criteria are not met.
No data available

Additional information on tests

No risks worthy of mention. Practical experience.
The statement is derived from the properties of the single components.
The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migra Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 10 of 15

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1300 mg/l	96 h	Leopomis macrochirus		static methode
	Acute algae toxicity	ErC50 > 100 mg/l	96 h	Scenedesmus subspicatus		static methode
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		static methode
	Acute bacteria toxicity	EC50 225 mg/l ()				static methode
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated					
	Acute fish toxicity	LC50 108 mg/l	96 h	Danio rerio (zebrafish)	ECHA	OECD 203
	Acute algae toxicity	ErC50 > 10 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EC50 51 mg/l	48 h	Daphnia magna	ECHA	
	Acute bacteria toxicity	EC50 >1000 mg/l ()		Activated sludge		OECD 209
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl					
	Acute fish toxicity	LC50 4,5 mg/l	96 h	Danio rerio	Echa	
	Acute crustacea toxicity	EC50 2,7 mg/l	48 h	Daphnia magna		
	Acute bacteria toxicity	EC50 3,57 mg/l ()	3 h	Pseudokirchneriella subcapitata		
141-43-5	2-aminoethanol; ethanolamine					
	Acute fish toxicity	LC50 150 mg/l	96 h	Onchorhynchus mykiss	Echa	
	Acute algae toxicity	ErC50 2,8 mg/l	72 h	Pseudokirchneriella	Echa	OECD 201
	Acute crustacea toxicity	EC50 27,04 mg/l	48 h	Daphnia magna	Echa	OECD 202

12.2. Persistence and degradability

The product has not been tested.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 11 of 15

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	OECD 301C / ISO 9408		89 %	28	
	Product is biodegradable.				
	OECD 302B		100 %	28	
	Product is biodegradable.				
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	OECD 301 B		> 70 %	28	
	Product is biodegradable.				
	OECD 301B		99%	28	ECHA
	Product is biodegradable.				
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl				
	OECD 301D		75%	28	
	Easily biodegradable (concerning to the criteria of the OECD)				
	OECD 301B		70-75 %	28	
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	1
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	6,81
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl	3,18
141-43-5	2-aminoethanol; ethanolamine	-1,91 (25°C)

BCF

CAS No	Chemical name	BCF	Species	Source
90-43-7	2-phenylphenol (ISO)biphenyl-2-ol; 2-hydroxybiphenyl	22		

12.4. Mobility in soil

in delivery condition: liquid

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
none according to Regulation (EC) No. 1907/2006 (REACH)

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.
Dispose of contents/container to an appropriate recycling or disposal facility. Consult the local waste disposal expert about waste disposal.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 12 of 15

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: No dangerous good in sense of these transport regulations.

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es): No dangerous good in sense of these transport regulations.
14.4. Packing group: -

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Maritime transport in bulk according to IMO instruments

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 13 of 15

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: 0,0

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,9,12.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 14 of 15

Abbreviations and acronyms

Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
STOT SE: Specific target organ toxicity - single exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
Repr. - Reproduktionstoxizität
Asp. Tox. - Aspirationstoxizität
Acute Tox. - Akute Toxizität
Aquatic Acute - Akute aquatische Toxizität
Aquatic Chronic - Chronische aquatische Toxizität
Eye Dam. - Augenschaden/-reizung
Eye Irrit. - Augenreizung
Skin Corr. - Ätzwirkung auf die Haut
Skin Irrit. - Hautreizung

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Jokisch Migma Tano DSY

Revision date: 01.01.2024

Product code: 284

Page 15 of 15

Skin Sens. - Hautallergen
Resp. Sens. - Inhalationsallergen
STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition
STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition
VOC - Flüchtige organische Verbindungen

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 2-n-butyl-benzof[d]isothiazol-3-one. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)